Table 1. Riverbend's Dragonflies February 2005 Karen Sheffield

No. of species	Common Name	Scientific Name	Global Rank	State Rank	Other Notes
1	Arrow Clubtail	Stylurus spiniceps	G5	S3	
2	Black Saddlebags	Tramea lacerata			
3	Black-shouldered spinyleg	Dromogomphus spinosus			
4	Blue Dasher	Pachydiplax longipennis			
5	Cherry-faced meadowhawk	Sympetrum internum			unusual
6	Cobra Clubtail	Gomphus vastus			
7	Common Green Darner	Anax junius			
8	Common Whitetail	Libellula lydia			
9	Cyrano Darner	Nasiaeschna pentacantha	G5	S 3	
10	Dragonhunter	Hagenius brevistylus			
11	Eastern Amberwing	Perithemis tenera			
12	Eastern Pondhawk	Erythemis simplicicollis			
13	Eastern Ringtail	Erpetogomphus designatus	G5	S3	
14	Elusive Clubtail/ Russet-Tipped	Stylurus notatus/plagiatus	G3/G5	S1/S3	see below
15	Fawn Darner	Boyeria vinosa			
16	Great Blue Skimmer	Libellula vibrans			
17	Illinois River Cruiser	Macromia illinoiensis			
18	Lancet Clubtail	Gomphus exilis			
19	Laura's Clubtail	Stylurus laurae	G4	S2	
20	Midland Clubtail	Gomphus fraternus	G5	S 1	
21	Ocellated Darner	Boyeria grafiana	G5	S3	
22	Painted Skimmer	Libellula semifasciata			
23	Prince Baskettail	Epicordulia princeps			
24	Shadow Darner	Aeshna umbrosa			
25	Slaty Skimmer	Libellula incesta			
26	Spangled Skimmer	Libellula cyanea			
27	Spine-Crowned Clubtail	Gomphus abbreviatus	G3G4	S2S3	
28	Stream Cruiser	Didymops transversa			
29	Stygian Shadowdragon	Neurocordulia yamaskanensis	G5	S2	
30 31	Swamp Darner Twelve-Spotted Skimmer	Epiaeschna heros Libellula pulchella			
32	Umber Shadowdragon	Neurocordulia obsoleta	G5	S 3	
33	Widow Skimmer	Libellula luctuosa	33	55	
34	Autumn (Yellow-legged) meadowhawk	Sympetrum vicium			
٠.	((- J T			

Five cast skins of a clubtail species have proven difficult to identify. The species is either the Elusive clubtail (G3 - globally rare, S1 - state rare) or the Russet-tipped clubtail (S3 - watch listed). More study is required on these.

Key: S1	Extremely rare and critically imperiled with 5 or fewer occurrences or very few remaining individuals
S2	Very rare and imperiled with 6 to 20 occurrences or few remaining individuals in Virginia
S3	Rare to uncommon in Virginia with between 20 and 100 occurrences; may be somewhat vulnerable
G1	Extremely rare and critically imperiled with 5 or fewer occurrences or very few remaining individuals
G2	Very rare and imperiled with 6 to 20 occurrences or few remaining individuals globally
G3	Either very rare and local throughout its range or found locally in a restricted range; or vulnerable to
G4	Common and apparently secure globally
G5	Very common and demonstrably secure globally

in Virginia

to extirpation in Virginia globally

extinction because of other factors